

FIG. 1

200

```

<html>
<head>
<title> Contribute Example</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>

<body>

<p> The bage begins with a paragraph tag that signifies that the text within those
tags is part of a paragraph. While the formatting is of a paragraph, the text
within plain paragraph tags is usually considered editable.</p>

<p> <b> Bold text may also be represented within a paragraph tag, but it also is
formatted by its own tag.</b> </p>

<script> May include script written in CFML, ASP, JSP, PHP, or the like.</script>

<table width="701" height="180" border="1" bordercolor="#0000FF" bgcolor="#CCCCCC">
  <tr>
    <td width="172" rowspan="2"> <div align="center"> <b> <font color="#0000FF"
size="+2" face="Georgia, Times New Roman, Times, serif"> Table</font> </b> </div> </td>
    <td width="164">  </td>
    <td width="100"> Image files can typically be protected from editing.</td>
    <td width="124" rowspan="3"> Table</td>
    <td width="107" rowspan="3"> Text</td>
  </tr>
  <tr>
    <td colspan="2" rowspan="2"> Table text can be entered on a
per cell basis. Therefore, the text within the cell may be edited in certain
circumstances. However, if there are heading cells that the designer does
not want changed, those may also be protected.</td>
  </tr>
  <tr>
    <td> Table text.</td>
  </tr>
  <tr>
    <td> Table text</td>
    <td colspan="2"> Table Text</td>
  </tr>
</table>
</body>
</html>

```

100

101

102

103

104

105

106

107

108

109

110

111

112


113

114

115

116

FIG. 2



3/4

FIG. 3




FIG. 4




FIG. 5

